

ROUND TUBING BUSHING STOCK

Random 20' Lengths

DOM - Drawn Over Mandrel
 CDBW - Cold Drawn Butt Weld
 CDST - Cold Drawn Seamless Tube
 HFS - Hot Finished Seamless



OD	Type	Wall Thickness	Weight/Foot
1/2"	DOM	0.049	0.235
1/2"	DOM	0.095	0.411
3/4"	DOM	0.109	0.745
3/4"	DOM	0.120	0.807
3/4"	DOM	0.188	1.128
11/16"	DOM	0.083	0.536
7/8"	DOM	0.095	0.791
7/8"	DOM	0.120	0.967
7/8"	DOM	0.134	1.060
7/8"	DOM	0.156	1.198
7/8"	DOM	0.187	1.380
1"	DOM	0.109	1.037
1"	DOM	0.120	1.128
1"	DOM	0.156	1.405
1"	CDBW	0.172	1.517
1"	DOM	0.188	1.630
1"	DOM	0.219	1.827
1"	DOM	0.250	2.000
1"	DOM	0.286	2.181
1"	CDST	0.375	2.500
1-1/8"	DOM	0.065	0.736
1-1/8"	DOM	0.156	1.614
1-1/8"	DOM	0.188	1.881
1-1/8"	DOM	0.250	2.330
1-1/8"	DOM	0.281	2.533
1-1/4"	DOM	0.120	1.448
1-1/4"	DOM	0.134	1.597
1-1/4"	DOM	0.148	1.742
1-1/4"	DOM	0.188	2.132
1-1/4"	DOM	0.219	2.411
1-1/4"	DOM	0.250	2.670
1-1/4"	DOM	0.281	2.900
1-1/4"	DOM	0.313	3.132
1-5/16"	DOM	0.120	1.529
1-5/16"	DOM	0.313	3.343
1-3/8"	DOM	0.125	1.667
1-3/8"	DOM	0.188	2.378
1-3/8"	DOM	0.250	3.000
1-3/8"	DOM	0.313	3.551
1-1/2"	DOM	0.095	1.426
1-1/2"	DOM	0.109	1.619
1-1/2"	DOM	0.188	2.640
1-1/2"	DOM	0.219	2.996
1-1/2"	DOM	0.234	3.164
1-1/2"	DOM	0.250	3.338
1-1/2"	DOM	0.281	3.658
1-1/2"	DOM	0.312	3.720
1-1/2"	DOM	0.344	4.247
1-1/2"	DOM	0.375	4.500
1-5/8"	DOM	0.188	2.885
1-5/8"	DOM	0.250	3.670
1-5/8"	DOM	0.312	4.380

ROUND TUBING BUSHING STOCK

(cont.)

DOM - Drawn Over Mandrel
 CDBW - Cold Drawn Butt Weld
 CDST - Cold Drawn Seamless Tube
 HFS - Hot Finished Seamless



OD	Type	Wall Thickness	Weight/Foot
1-3/4"	DOM	0.095	1.680
1-3/4"	DOM	0.187	3.136
1-3/4"	DOM	0.219	3.581
1-3/4"	DOM	0.250	4.000
1-3/4"	DOM	0.281	4.409
1-3/4"	DOM	0.375	5.500
1-3/4"	DOM	0.438	6.137
1-3/4"	DOM	0.500	6.675
1-7/8"	DOM	0.188	3.387
1-7/8"	DOM	0.250	4.340
1-7/8"	DOM	0.281	4.784
1-7/8"	DOM	0.375	6.008
2"	DOM	0.120	2.400
2"	DOM	0.188	3.638
2"	DOM	0.219	4.166
2"	DOM	0.250	4.670
2"	DOM	0.375	6.500
2"	CDST	0.500	8.010
2-1/8"	DOM	0.156	3.280
2-1/8"	DOM	0.250	5.006
2-1/8"	DOM	0.281	5.534
2-1/8"	DOM	0.313	6.057
2-1/8"	DOM	0.500	8.680
2-1/4"	DOM	0.219	4.750
2-1/4"	DOM	0.250	5.340
2-1/4"	DOM	0.375	7.500
2-1/4"	CDST	0.500	9.350
3-3/8"	DOM	0.156	3.697
2-3/8"	DOM	0.188	4.391
2-3/8"	DOM	0.250	5.674
2-3/8"	DOM	0.375	8.010
2-1/2"	DOM	0.188	4.642
2-1/2"	DOM	0.219	5.335
2-1/2"	DOM	0.250	6.000
2-1/2"	DOM	0.281	6.659
2-1/2"	DOM	0.344	7.921
2-1/2"	DOM	0.375	8.500
2-1/2"	DOM	0.500	10.680
2-1/2"	CDS	0.750	14.020
2-5/8"	DOM	0.250	6.341
3-5.8"	DOM	0.281	7.032
2-5/8"	DOM	0.312	7.730
2-5/8"	DOM	0.375	9.010
2-3/4"	DOM	0.219	5.920
2-3/4"	DOM	0.250	6.675
2-3/4"	DOM	0.375	9.512
2-3/4"	DOM	0.500	12.000
2-7/8"	DOM	0.281	7.785
2-7/8"	DOM	0.375	10.000
2-7/8"	DOM	0.438	11.400
3"	DOM	0.188	5.646
3"	DOM	0.219	6.505

ROUND TUBING BUSHING STOCK

(cont.)

DOM - Drawn Over Mandrel
 CDBW - Cold Drawn Butt Weld
 CDST - Cold Drawn Seamless Tube
 HFS - Hot Finished Seamless



OD	Type	Wall Thickness	Weight/Foot
3"	DOM	0.250	7.343
3"	DOM	0.313	8.982
3"	DOM	0.344	9.758
3"	DOM	0.375	10.510
3"	DOM	0.438	11.986
3"	DOM	0.500	13.350
3"	DOM	0.625	15.850
3"	CDST	0.750	18.020
3-1/8"	DOM	0.375	11.010
3-1/4"	DOM	0.219	7.089
3-1/4"	DOM	0.250	8.010
3-1/4"	DOM	0.375	11.510
3-1/4"	DOM	0.500	14.690
3-3/8"	DOM	0.500	15.350
3-1/2"	DOM	0.188	6.650
3-1/2"	DOM	0.219	7.674
3-1/2"	DOM	0.250	8.678
3-1/2"	DOM	0.281	9.660
3-1/2"	DOM	0.375	12.520
3-1/2"	DOM	0.500	16.020
3-1/2"	DOM	0.625	19.200
3-1/2"	CDST	0.750	22.000
3-5/8"	DOM	0.375	13.020
3-3/4"	DOM	0.250	9.345
3-3/4"	DOM	0.375	13.520
3-3/4"	DOM	0.500	17.360
4"	DOM	0.188	7.654
4"	DOM	0.219	8.843
4"	DOM	0.250	10.010
4"	DOM	0.313	12.306
4"	DOM	0.375	14.520
4"	DOM	0.437	16.660
4"	DOM	0.500	18.690
4"	CDST	0.750	26.030
4"	CDST	1.000	32.000
4-1/4"	DOM	0.313	13.160
4-1/2"	DOM	0.219	10.010
4-1/2"	DOM	0.250	11.340
4-1/2"	DOM	0.375	16.520
4-1/2"	DOM	0.438	19.000
4-1/2"	DOM	0.500	21.360
4-1/2"	CDST	0.625	25.900
4-1/2"	HFS	0.750	30.040
4-1/2"	CDST	1.000	37.380
5"	DOM	0.250	12.679
5"	DOM	0.375	18.520
5"	DOM	0.500	24.030
5"	CDST	1.125	46.560
5-1/4"	DOM	0.313	16.500
5-1/4"	DOM	0.625	30.870
5-1/2"	DOM	0.250	14.020

ROUND TUBING BUSHING STOCK

(cont.)

DOM - Drawn Over Mandrel
 CDBW - Cold Drawn Butt Weld
 CDST - Cold Drawn Seamless Tube
 HFS - Hot Finished Seamless



OD	Type	Wall Thickness	Weight/Foot
5-1/2"	DOM . . .	0.375 . . .	20.530
5-1/2"	DOM . . .	0.500 . . .	24.030
5-1/2"	DOM . . .	0.625 . . .	32.540
5-1/2"	CDST . . .	0.875 . . .	43.220
6"	DOM . . .	0.250 . . .	15.350
6"	DOM . . .	0.375 . . .	22.530
6"	DOM . . .	0.500 . . .	29.370
7"	DOM . . .	0.500 . . .	34.710
7"	DOM . . .	0.625 . . .	42.550
7.5"	DOM . . .	0.625 . . .	45.890
8"	DOM . . .	0.250 . . .	20.690
8"	DOM . . .	0.375 . . .	30.540
8"	DOM . . .	0.500 . . .	40.050
8"	DOM . . .	0.625 . . .	49.230
8.5"	DOM . . .	0.250 . . .	22.028
8.5"	DOM . . .	0.500 . . .	42.720
9"	DOM . . .	0.250 . . .	23.360
10"	1026 . . .	0.500 . . .	50.730